0108-354 US-1 AMENDMENT WITH RCE Amendment dated 05/24/2010 Reply to office action mailed 11/24/2009

03100199aa

The following is a complete listing of all claims in the application, with an

indication of the status of each:

## Listing of claims:

1

1

1. (currently amended) An orthopedic aid which is used by a patient for 2 walking and which provides a supporting function for the human body. 3 comprising: 4 two parts which are movable relative to one another; 5 a locking device for locking the two parts in an extended position so 6 that a movement of the two parts relative to one another is blocked during 7 standing and for walking and for manually unlocking the two parts to permit 8 movement of the two parts with respect to one another in a rest position; 9 means for detecting locking or unlocking of said locking device; and 10 a signaling arrangement which emits a signal, responsive to said 11 means for detecting, for alerting a user of the orthopedic aid to a locking state 12 or upon unlocking of the locking device. 2. (canceled) 1 3. (previously presented) The orthopedic aid as claimed in claim 1, wherein 2 the signaling arrangement emits a signal upon unlocking. 1 4. (previously presented) The orthopedic aid as claimed in claim 1, wherein 2 said signaling arrangement provides a signal which is visual, acoustic, tactile and/or mechanical. 3

0108-354 US-1 AMENDMENT WITH RCE

	0108-354 US-1 <u>AMENDMENT WITH RCE</u> 03100199aa
	Amendment dated 05/24/2010 Reply to office action mailed 11/24/2009
1	5. (previously presented) The orthopedic aid as claimed in claim 1, wherein
2	said means for detecting includes a detection arrangement designed to
3	generate the signal electrically as a function of the locking state.
1	6. (previously presented) The orthopedic aid as claimed in claim 1, wherein
2	the locking device has a movable locking pin whose position is detected by
3	the means for detecting.
1	7. (previously presented) The orthopedic aid as claimed in claim 1, wherein
2	the locking device is actuated electromechanically to permit unlocking.
1	8. (previously presented) The orthopedic aid as claimed in claim 6, wherein
2	the movable locking pin is arranged such that it can be drawn into a magnet
3	coil to permit unlocking.
1	9. (previously presented) The orthopedic aid as claimed in claim 6, wherein
2	the detection arrangement is designed for electrical scanning of a position of
3	the locking pin.
1	10. (previously presented) The orthopedic aid as claimed in claim 1 further
2	comprising an electromagnetic actuating arrangement with a low actuating
3	force of not more than 2 N, wherein the locking device, when in the extended
4	position, has a slight play, allowing a freedom of movement of the locking
5	mechanism in the loading pertaining to the extended position, whereas, in the
6	event of a load exerting a turning moment on the locking device, the locking
7	device cannot be unlocked by the actuating arrangement on account of
8	frictional forces

	0108-354 US-1 $\frac{\textbf{AMENDMENT WITH RCE}}{\textbf{Amendment dated 05/24/2010}} \qquad \begin{array}{c} \textbf{03100199aa} \\ \textbf{Reply to office action mailed 11/24/2009} \end{array}$
1	11. (previously presented) The orthopedic aid as claimed in claim 1, wherein
2	the locking device is actuated by wireless transmission of an actuating signal.
3	12. (previously presented) The orthopedic aid as claimed in claim 11,
4	wherein an actuating signal for wireless transmission of a command signal is
5	triggered on a handgrip of a walking aid.
1 2 3	13. (previously presented) The orthopedic aid as claimed in claim 11, wherein the signal of the signaling arrangement is sent by wireless transmission to a walking aid.
1	14. (previously presented) The orthopedic aid as claimed in claim 13,
2	wherein the walking aid has a visual and/or acoustic signal display
3	arrangement.
1 2 3	15. (previously presented) The orthopedic aid as claimed in claim 13, wherein a handgrip of the walking aid is provided with a vibrator that can be actuated by the signal of the signaling arrangement.